

# SOSEN LED Driver, Your Smart Choice


## SS-75PA LED

: SS-75PA-108B

: 75W LED

: V02

: 2022-05-30



# SS-75PA LED



	220Vac		240Vac	
	200Vac		264Vac	
	100Vac		264Vac	100-200Vac 48
	47Hz	50/60Hz	63Hz	
			0.5A	200Vac , 满载
(220Vac)			70A	冷机启动
			5W	220Vac/50Hz , 空载
	0.96	0.98		220Vac/50Hz , 满载
	0.92			220-240Vac/50Hz , 70-100%载
		8%	10%	220Vac/50Hz , 满载
			20%	220-240Vac/50Hz , 70-100%载




---


--	--	--	--








	ENEC	
	3000Vac	
EQUI	3000Vac	
	3000Vac	
	1500Vac	
EQUI	1500Vac	
EQUI	500Vac	
	10MΩ	500Vdc
	0.7mApk	240Vac

1. EMC
2. LN


EMC



		T(@ 10%)	T(@ 50%)
230Vac	70A		200uS




Vs. ( /AOC )



----- Dimming Window      ————— AOC Window

Vs. (Vin=230Vac)




----- Io=1050mA

- - - Io=700mA




Vs.



———— Vin = 230Vac

Vs.



———— Vin = 230Vac




# SS-75PA

# LED

Vs.


( 55 )

Vs.



Vs.

Vs.



- 1
- 2
- 3 PC

